



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
Airport Tug		437090S	Brass Tanks S/O	18 1/4"	16 7/8"	2 1/4"	3	Plain	No	No	No	M
Airport Tug		437091S	Brass Tanks S/O	18 1/4"	16 7/8"	2 1/4"	3	Plain	No	No	No	M
Airport Tug		437092S	Brass Tanks S/O	18 1/4"	16 7/8"	2 1/4"	3	Plain	No	No	No	M
AJAX 7.25-8.5L		437940M	Brass Tanks S/O	20 1/8"	18 3/4"	2 5/8"	3	Plain	No	No	No	M
AJAX DP-60		437939	Brass Tanks S/O	25 1/8"	25 7/8"	3 3/4"	5	Plain	No	No	No	D



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

(M=RR/S=DH/D=Dallas)

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
Arrow 42		437998	Brass Tanks S/O	19 1/2"	21 3/16"	2 5/8"	4	Plain	No	No	No	D
Arrow 54		437999	Brass Tanks S/O	27"	22 1/2"	2 3/8"	4	Plain	No	No	No	D
Arrow 62		437997	Brass Tanks S/O	30 5/8"	27"	2 5/8"	4	Plain	No	No	No	D
CAT 3056E		437938	Brass Tanks S/O	22 1/2"	16 7/8"	4 7/16"	6	Plain	No	No	No	D
CAT 3056E		437938PKGD	Brass Tanks S/O Radiator & CAC Package	22 1/2"	16 7/8"	4 7/16"	6	Plain	No	Yes	No	D



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
CAT 3306 & 3126		437957	Steel Tanks B/O	33 1/2"	28 1/2"	4 1/2"	5	Plain	Yes	Yes	Yes	S
CAT 3306 & 3126		437957SC	Steel Tanks B/O	33 1/2"	28 1/2"	4 1/2"	5	Solder Coated Fins	Yes	Yes	Yes	S
CAT 3306TA LNT		437986PKG	Steel Tanks B/O Rad&Aftercooler Package	43 7/8"	43 3/4"	3" 1 1/2"	4 2	Plain	No	Yes	No	M
CAT 3406		437983	Steel Tanks B/O	38"	36"	3 3/4"	5	Plain	Yes	Yes	Yes	D
CAT 3406		437983SC	Steel Tanks B/O	38"	36"	3 3/4"	5	Solder Coated Fins	Yes	Yes	Yes	D



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
CAT 3408		437982	Steel Tanks B/O	45"	47 13/16"	4 1/2"	6	Plain	Yes	Yes	Yes	D
CAT 3408		437982SC	Steel Tanks B/O	45"	47 13/16"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D
CAT 3412		437981	Steel Tanks B/O	51"	47 13/16"	4 1/2"	6	Plain	Yes	Yes	Yes	D
CAT 3412		437981SC	Steel Tanks B/O	51"	47 13/16"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D
CAT 379	5L2451	437980	Steel Tanks B/O	65 3/4"	54"	4 1/2"	6	Plain	Yes	Yes	Yes	M



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.

Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
CAT 398 & 399		437400	Steel Tanks B/O Includes Fan & Bearings	76 1/8"	76 1/2"	4 1/2"	6	Plain	Yes	Yes	Yes	D
CAT 398 & 399		437400-SC	Steel Tanks B/O Includes Fan & Bearings	76 1/8"	76 1/2"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D
CAT 398 & 399 W/ Motor&Top Surge Tank		437404	Steel Tanks B/O Includes Fan & Bearings	76 1/8"	76 1/2"	4 1/2"	6	Solder Coated Fins	Yes	Yes	Yes	D
CAT C15		437949PKGD	Steel Tanks B/O Radiator & CAC Package	50	27 1/2"	6	8	Plain	Yes	Yes	Yes	D
CAT C18		437987PKG	Steel Tanks B/O Radiator & CAC Package	57"	30 1/2"	3 1/16"	4	Plain	Yes	Yes	Yes	M



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
CAT C18		437987PKGSC	Steel Tanks B/O Radiator & CAC Package	57"	30 1/2"	3 1/16"	4	Solder Coated Fins	Yes	Yes	Yes	M
Cummins K50	X3340	437996	Steel Tanks B/O	68 15/16"	68 5/16"	4 5/8"	6	Plain	Yes	Yes	No	D
Cummins QSX15 (300-500KW)		427068SB	ALI-All Alum Thermal Square Bump	48 1/4"	25 1/2"	2 1/4"	1	Plain	No	No	No	D
DD 12V-2000 (1006 HP)		437956M	Steel Tanks B/O Rad&Aftercooler Package	69 1/8"	59 5/8"	2 15/16" 2 3/8"	4 4	Plain	Yes	Yes	No	M
DD 12V-2000 (850 HP)		437988M	Steel Tanks B/O Rad&Aftercooler Package	63 3/4"	52 7/8"	2 15/16" 2 3/8"	4 4	Plain	Yes	Yes	No	M



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
DD 12V-71 Includes 3 1/2" x 3" beaded adapter for outlet block.	(2) 2 1/2" Inlet conns are 33" apart	437962G	Steel Tanks B/O Galvanized	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
DD 12V-71 Includes 3 1/2" x 3" beaded adapter for outlet block.	(2) 2 1/2" Inlet conns are 33" apart	437962	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Plain	Yes	Yes	Yes	D
DD 12V-71 Includes 3 1/2" x 3" beaded adapter for outlet block.	(2) 2 1/2" Inlet conns are 33" apart	437962SC	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
DD 16V-4000 (3000HP)		437994M	Steel Tanks B/O Rad&Aftercooler Package	80 3/4 73 1/16	95 95	3 3/16 3 3/16	4 4	Plain	Yes	Yes	Yes	M
DD 16V-71		437953	Steel Tanks B/O	50"	49 7/8"	4 1/2"	5	Plain	Yes	Yes	Yes	S



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
DD 16V-71		437953EC	Steel Tanks B/O	50"	49 7/8"	4 1/2"	5	Epoxy Coated	Yes	Yes	Yes	S
DD 16V-92		437989	Steel Tanks B/O	55"	57"	4"	4	Plain	Yes	Yes	Yes	S
DD 16V-92		437989SC	Steel Tanks B/O	55"	57"	4"	4	Solder Coated Fins	Yes	Yes	Yes	S
DD 3-53 & 4-53	5119023	437909M <small>Can also use 437909</small>	Brass Tanks S/O	25 3/16"	26 1/4"	3"	4	Solder Coated Fins	No	Yes	No	M
DD 60 (475 HP) - Short (Cools Tier II Engine Only)		437975PKG <small>Can also use 437975PKGD</small>	Steel Tanks B/O Radiator & CAC Package	43"	25 7/8"	3 1/16"	4	Plain	Yes	Yes	Yes	M



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
DD 60 (475 HP) - Short (Cools Tier II Engine Only)		437975PKGD <small>Can also use 437975PKG</small>	Steel Tanks B/O Radiator & CAC Package	43"	25 7/8"	3 1/16"	4	Plain	Yes	Yes	Yes	D
DD 60 (475 HP) - Short (Cools Tier II Engine Only)		437975PKGDSC	Steel Tanks B/O Radiator & CAC Package	43"	25 7/8"	3 1/16"	4	Solder Coated Fins	Yes	Yes	Yes	D
DD 60 (475 HP) - Tall		437993PKGD	Steel Tanks B/O Radiator & CAC Package	54 13/16	25 5/16	4 1/2	6	Plain	Yes	Yes	Yes	D
DD 60 (600 HP)		437977PKG	Steel Tanks B/O Radiator & CAC Package	43"	31"	3 1/16"	4	Plain	Yes	Yes	Yes	M
DD 6-7I & 6-7IT <small>Other Parts Sold Separately 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand & Grill</small>	8927124	437901M	Brass Tanks S/O	29"	26 1/4"	3 3/4"	5	Plain	054367ISG Plus Stand	054367ISH	054367IFG	M



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
DD 6-7I & 6-7IT <u>Other Parts Sold Separately</u> 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand & Grill	8927124	437906M Can also use 437906	Brass Tanks S/O	29"	26 1/4"	3 3/4"	5	Solder Coated Fins	054367ISG Plus Stand	054367ISH	054367IFG	M
DD 6-7I & 6-7IT <u>Other Parts Sold Separately</u> 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand & Grill	8927124	437903M	Brass Tanks S/O	29"	26 1/4"	3"	4	Plain	054367ISG Plus Stand	054367ISH	054367IFG	M
DD 6-7I & 6-7IT <u>Other Parts Sold Separately</u> 054367ISH = Shroud 054367IFG = Fan Guard 054367ISG = Stand & Grill	8927124	437907M	Brass Tanks S/O	29"	26 1/4"	3"	4	Solder Coated Fins	054367ISG Plus Stand	054367ISH	054367IFG	M
DD 6V-7INA		437955	Steel Tanks B/O	29 3/4"	28 1/8"	3 3/4"	5	Plain	Yes	Yes	Yes	D
DD 6V-7INA		437955G	Steel Tanks B/O Galvanized	29 3/4"	28 1/8"	3 3/4"	5	Solder Coated Fins	Yes	Yes	Yes	D



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
DD 6V-71NA		437955SC	Steel Tanks B/O	29 3/4"	28 1/8"	3 3/4"	5	Solder Coated Fins	Yes	Yes	Yes	D
DD 8V-71, 6V-92 & 6V-71T	5123784	437910	Steel Tanks B/O	39 5/16"	33 3/4"	4 5/8"	6	Plain	Yes	Yes	Yes	D
DD 8V-71, 6V-92 & 6V-71T	5123784	437911	Steel Tanks B/O	39 5/16"	33 3/4"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
DD 8V-71, 6V-92 & 6V-71T	5123784	437911G	Steel Tanks B/O Galvanized	39 5/16"	33 3/4"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
DD 8V-92 & 8V-71HD Includes 2 3/4" x 3" beaded adapter for outlet block.	(2) 2 1/4" Inlet conns are 22" apart	437917	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Plain	Yes	Yes	Yes	D



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
DD 8V-92 & 8V-71HD Includes 2 3/4" x 3" beaded adapter for outlet block.	(2) 2 1/4" Inlet conns are 22" apart	437919	Steel Tanks B/O	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
DD 8V-92 & 8V-71HD Includes 2 3/4" x 3" beaded adapter for outlet block.	(2) 2 1/4" Inlet conns are 22" apart	437919G	Steel Tanks B/O Galvanized	41 5/8"	41 5/8"	4 5/8"	6	Solder Coated Fins	Yes	Yes	Yes	D
Komatsu D155	17A0341112	437990	Brass Tanks S/O	45 1/2"	15 1/2"	4 1/2"	6	Plain Tube Guards	No	No	No	D
Komatsu D275	17M0351110	437991	Brass Tanks S/O	44 1/2"	13 1/2"	4 1/2"	6	Plain Tube Guards	No	No	No	D
Lincoln Welder 200-300 RANGER / VANTAGE		437700	All Alum	17 3/4"	14 7/8"	1 7/8"		Plain	No	No	No	S



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
Lincoln Welder 200A		437912 <small>Can also use 437912M</small>	Brass Tanks S/O	19"	20"	1 3/4"	3	Plain	No	No	No	D
Lincoln Welder 200A		437912M <small>Can also use 437912</small>	Brass Tanks S/O	19"	20"	1 3/4"	3	Plain	No	No	No	M
Lincoln Welder 250A		437913M <small>Can also use 437913</small>	Brass Tanks S/O	21 3/8"	20"	1 3/4"	3	Plain	No	No	No	M
Lincoln Welder 400-500 RANGER / VANTAGE		437701	All Alum	20 9/16"	14 7/8"	1 7/8"		Plain	No	No	No	S
Lincoln Welder 400A		437995	Brass Tanks S/O	21 3/8"	19 1/8"	1 1/2"	2	Plain	No	No	No	D



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
Lincoln Welder 400A		437995SC	Brass Tanks S/O	21 3/8"	19 1/8"	1 1/2"	2	Solder Coated Fins	No	No	No	D
Onan 0130-3587	X-3874	437947M	Steel Tanks B/O	54"	47 1/8"	2 1/4"	3	Plain	No	No	No	M
Waukesha 1197		437963M <small>Can also use 437963</small>	Steel Tanks B/O	50 3/4"	35"	3 3/4"	4	Plain	Yes	Yes	Yes	M
Waukesha 1197		437963 <small>Can also use 437963M</small>	Steel Tanks B/O	50 3/4"	35"	3 3/4"	4	Plain	Yes	Yes	Yes	D
Waukesha 1197		437963SC	Steel Tanks B/O	50 3/4"	35"	3 3/4"	4	Solder Coated Fins	Yes	Yes	Yes	D



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

(M=RR/S=DH/D=Dallas)

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
Waukesha 145 & 817		437959M <small>Can also use 437959</small>	Steel Tanks B/O	35 7/8"	33 1/4"	3 3/4"	4	Plain	Yes	Yes	Yes	M
Waukesha 145 & 817		437959 <small>Can also use 437959M</small>	Steel Tanks B/O	35 7/8"	33 1/4"	3 3/4"	4	Plain	Yes	Yes	Yes	S
Waukesha 145 & 817		437959SC	Steel Tanks B/O	35 7/8"	33 1/4"	3 3/4"	4	Solder Coated Fins	Yes	Yes	Yes	S
Waukesha 145 & 817		437959GSC	Steel Tanks B/O Galvanized	35 7/8"	33 1/4"	3 3/4"	4	Solder Coated Fins	Yes	Yes	Yes	S
Waukesha 220 & 330		437958M	Steel Tanks B/O	27"	21 1/4"	2"	3	Plain	Yes	Yes	Yes	M



Industrial Tough™ Commercial and Industrial Radiators

Radiators for Gen Sets, Welders, and more.



Wherever you go, we have your Thermal Solution!! Call your local Heavy Duty Branch today for more detail.

Rel# 070120

(M=RR/S=DH/D=Dallas)

Note: DD = Detroit Diesel

Note: The front guard is the mesh on the grill side of the radiator, and the fan guard protects the area surrounding the fan.

Application Information	Reference	TSM Model Number	Construction Features	Core Height	Core Width	Core Depth	Rows	Fin Coating	Front Guard/Grill	Fan Shroud	Fan Guard	Branch Order Code
Waukesha 220 & 330		437958EC	Steel Tanks B/O	27"	21"	2 1/4"	3	Epoxy Coated	Yes	Yes	Yes	S